

Revision Date: 06/08/2018

SAFETY DATA SHEET

1. Identification

Material name: SOLARGARD 6083 SCC AMARILLO WHITE 5 GL

Material: 1120309005P

Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S. Roofing 3735 Green Road Beachwood OH 44122 US

Contact person:EH&S DepartmentTelephone:216-292-5000

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Germ Cell Mutagenicity Category 1B
Carcinogenicity Category 2
Toxic to reproduction Category 1B

Unknown toxicity - Health

Acute toxicity, oral 32.41 %
Acute toxicity, dermal 37.53 %
Acute toxicity, inhalation, vapor
Acute toxicity, inhalation, dust 99.76 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Unknown toxicity - Environment

Acute hazards to the aquatic 94.01 %

environment

Chronic hazards to the aquatic 100 %

environment

Label Elements

Hazard Symbol:



Revision Date: 06/08/2018



Signal Word: Danger

Hazard Statement: May cause genetic defects.

Suspected of causing cancer.

May damage fertility or the unborn child.

Harmful to aquatic life.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Titanium dioxide	13463-67-7	3 - 7%
Propylene glycol	57-55-6	1 - 5%
Aluminum oxide	1344-28-1	0.1 - 1%
n-(3,4-dichlorophenyl)-n,n- dimethylurea	330-54-1	0.1 - 1%
Trade Secret	Trade Secret	0.1 - 1%
Methyl benzimidazole-2-yl carbamate	10605-21-7	0.1 - 1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth thoroughly.

Inhalation: Move to fresh air.



Revision Date: 06/08/2018

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Eye contact: Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

May cause skin and eye irritation. Symptoms:

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures:

No data available.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.



Revision Date: 06/08/2018

7. Handling and storage

Precautions for safe handling: Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Туре	Exposure Limit Values	Source	
TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)	
PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air	
		Contaminants (29 CFR 1910.1000) (02 2006)	
TWA	15 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
		2016)	
TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
T14/4	5 / 0	2016)	
IWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
TIA/A	E0 millions of	2016) US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
IVVA		2016)	
		2010)	
Τ\Λ/Λ		US. ACGIH Threshold Limit Values (2011)	
IVVA	i ing/ins	OS. ACOIT THESHOLD LITTLE VALUES (2011)	
PFI	5 mg/m3	US. OSHA Table Z-1 Limits for Air	
	g	Contaminants (29 CFR 1910.1000) (02 2006)	
PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air	
		Contaminants (29 CFR 1910.1000) (02 2006)	
TWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
	particles per	2016)	
	cubic foot of		
	air		
TWA		US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
		2016)	
TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
TIA/A	45	2016) US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
IVVA	15 mg/m3	2016)	
Τ\Λ/Λ	10 mg/m3	US. ACGIH Threshold Limit Values (2011)	
IVVA	To mg/ms	03. ACGITI TITIESTIOIU LIITIIL VAIUES (2011)	
TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2011)	
1	29/110	TITLE OF THE STATE OF THE VALUE (ESTIT)	
DEI	5 mg/m2	US. OSHA Table Z-1 Limits for Air	
' = L	5 mg/ms	Contaminants (29 CFR 1910.1000) (02 2006)	
PFI	15 mg/m3	US. OSHA Table Z-1 Limits for Air	
'	15 1119/1115	Contaminants (29 CFR 1910.1000) (02 2006)	
TWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03	
''''		2016)	
	air		
	TWA PEL TWA TWA TWA TWA TWA PEL PEL	TWA 10 mg/m3 PEL 15 millions of particles per cubic foot of air TWA 50 millions of particles per cubic foot of air TWA 50 millions of particles per cubic foot of air TWA 15 mg/m3 TWA 50 millions of particles per cubic foot of air TWA 1 mg/m3 PEL 5 mg/m3 TWA 50 millions of particles per cubic foot of air TWA 50 millions of particles per cubic foot of air TWA 15 millions of particles per cubic foot of air TWA 55 mg/m3 TWA 5 mg/m3 TWA 15 mg/m3 TWA 50 millions of particles per cubic foot of air TWA 50 millions of particles per cubic foot of particles per	



Revision Date: 06/08/2018

fraction.		particles per cubic foot of	2016)
		air	
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
			2016)
Trade Secret - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
Trade coolet Total dust.			2016)

Chemical name	Туре	Exposure Limit Values	Source	
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)	
Titanium dioxide - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)	
Titanium dioxide	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)	
Propylene glycol - Aerosol.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Propylene glycol - Vapor and aerosol.	TWA	50 ppm 155 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)	

Appropriate Engineering

Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: Use suitable protective gloves if risk of skin contact.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions

before use.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Yellow
Odor: Mild



Revision Date: 06/08/2018

Odor threshold: No data available.

pH: 8 - 10

Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.Flash Point:No data available.Evaporation rate:Slower than Ether

Flammability (solid, gas):

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.462

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Strong acids. Strong bases.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: Moderately irritating to skin with prolonged exposure.

Eye contact: Eye contact is possible and should be avoided.



Revision Date: 06/08/2018

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Titanium dioxide LD 50 (Rat): > 5,000 mg/kg

Propylene glycol LD 50 (Rat): 22,000 mg/kg

Aluminum oxide LD 50 (Rat): > 10,000 mg/kg

n-(3,4-dichlorophenyl)-

n,n-dimethylurea

LD 50 (Rat): 4,150 mg/kg

Trade Secret LD 50 (Rat): > 5,000 mg/kg

Methyl benzimidazole-2-

yl carbamate

LD 50 (Rat): 6,400 mg/kg

Dermal

Product: ATEmix: 70,247.17 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Titanium dioxide LC 50 (Rat): 3.43 mg/l

Aluminum oxide LC 50 (Rat): 7.6 mg/l

n-(3,4-dichlorophenyl)-

n,n-dimethylurea

LC 50 (Rat): > 223 mg/m3



Revision Date: 06/08/2018

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Titanium dioxide in vivo (Rabbit): Not irritant Experimental result, Supporting study

Propylene glycol in vivo (Rabbit): Not irritant Experimental result, Key study

Aluminum oxide in vivo (Rabbit): Not irritant Experimental result, Key study

n-(3,4-dichlorophenyl)- Possibly Irritating

n,n-dimethylurea in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Titanium dioxide Rabbit, 24 hrs: Not irritating

Aluminum oxide Rabbit, 24 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



Revision Date: 06/08/2018

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

No data available. Product:

Reproductive toxicity

Product: May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 29,485 - 39,339 mg/l Propylene glycol

Mortality

n-(3,4-dichlorophenyl)-

n,n-dimethylurea Mortality

Methyl benzimidazole-2-

yl carbamate

LC 50 (Bluegill (Lepomis macrochirus), 96 h): > 3.2 mg/l Mortality

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 13.4 - 15 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Titanium dioxide EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication



Revision Date: 06/08/2018

Propylene glycol EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication

n-(3,4-dichlorophenyl)n,n-dimethylurea EC 50 (Water flea (Daphnia pulex), 48 h): 1.4 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Propylene glycol NOAEL (Pimephales promelas, 7 d): 11,530 mg/l Experimental result, Not

specified

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Propylene glycol Log Kow: -0.92

n-(3,4-dichlorophenyl)-

n,n-dimethylurea

Log Kow: 2.68

Methyl benzimidazole-2-

yl carbamate

Log Kow: 1.52

Mobility in soil: No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations



Revision Date: 06/08/2018

Disposal instructions: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> n-(3,4-dichlorophenyl)
Reportable quantity 100 lbs.

n,n-dimethylurea

Methyl benzimidazole-2- 10 lbs.

yl carbamate

Ammonium hydroxide 1000 lbs. Sodium nitrite 100 lbs. Barium sulfate 1000 lbs. 2-Propanol 100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



Revision Date: 06/08/2018

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

n-(3,4-dichlorophenyl)- 100 lbs.

n,n-dimethylurea

Methyl benzimidazole-2- 10 lbs.

vl carbamate

Ammonium hydroxide 1000 lbs.
Sodium nitrite 100 lbs.
Barium sulfate 1000 lbs.
2-Propanol 100 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Titanium dioxide 10000 lbs
Propylene glycol 10000 lbs
Aluminum oxide 10000 lbs
n-(3,4-dichlorophenyl)-n,ndioxatta.tura.s

dimethylurea

Trade Secret 10000 lbs Methyl benzimidazole-2-yl 10000 lbs

carbamate

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Titanium dioxide Carcinogenic. 09 2011 n-(3,4-dichlorophenyl)-n,n-Carcinogenic. 09 2011

dimethylurea

Carbon Black Carcinogenic. 09 2011

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Titanium dioxide Propylene glycol

US. Massachusetts RTK - Substance List

Chemical Identity

Titanium dioxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Titanium dioxide

Propylene glycol



Revision Date: 06/08/2018

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and : 35 g/l

exempt solvent)

VOC Method 310 : 1.28 %



Revision Date: 06/08/2018

Inventory Status:

Australia AICS: One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List: One or more components in this product are

not listed on or exempt from the Inventory.

EINECS. ELINCS or NLP: One or more components in this product are

not listed on or exempt from the Inventory.

Japan (ENCS) List: One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances: One or more components in this product are

not listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this product are

not listed on or exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: One or more components in this product are

not listed on or exempt from the inventory.

One or more components in this product are US TSCA Inventory:

not listed on or exempt from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this product are

not listed on or exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this product are

not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date: 06/08/2018

Version #: 1.1

Further Information: No data available.



Revision Date: 06/08/2018

Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.